medical beauty technology

ESTETIC Italia

Division for planning
and production
of equipment
for aesthetic use

30 YEARS

EME srl - Health & Beauty Technology

Click on your beauty

www.estetic-italia.com

Electronic Medical Equipment

EME

Health & Beauty Technology

EME srl your ideal partner | ALSO FOR MEDICINE AND AESTHETIC-MEDICINE EQUIPMENT

MEDICAL·ITALIA
Physiotherapy & Rehabilitation Division

medical beauty technology
ESTETIC Italia

"Observation is a passive science, experimentation is active"

Claude Bernard

This is the spirit which brought us to the creation of our company.

TREATMENTS	BODYSON 4 BODYSON 8	NEW CONTOUR NEW STRONG CONTOUR DEEP WAVE DEEP WAVE PLUS	PRESSOMASS	RENEW FACE&BODY RENEW EVOLUTION	DEEP CLEAN	LIFT SKIN	BEAUTY TONE	DEPIL EASY	LIGHTWAVE ACTION LIGHT	SCULPTUR EVO
Acne				●	●	●			●	
Acne/ Varicella outcomes				●	●	●			●	
Age spots				●	●				●	
Bad circulation							●			
Big area hair removal									●	
Cellulite	●	●	●	●		●	●			●
Cheloids				●	●	●			●	
Couperose						●			●	
Cutaneous regeneration					●	●			●	
Deep peeling				●	●				●	
Fibrous cellulite	●	●	●	●		●	●			●
Hardening	●	●			●	●	●			●
Hirsutism								●	●	
Hyperthricosis								●	●	
Hypertrophic scars				●	●				●	
Localised adiposity		●	●			●				●
Lymphatic stasis							●			
Lymphedema			●							
Oedemas	●		●							
Skin tissue sculptur	●	●	●	●		●	●			
Small area hair removal								●	●	
Stretch marks				●	●	●			●	●
Sun spots					●	●			●	
Telangectasias						●			●	
Water retention			●				●			
Wrinkles treatment				●		●			●	

INDEX

WISTERIA LINE

ACOUSTIC WAVE
SCULPTURE EVO PAG. 5

CAVITATION
NEW CONTOUR PAG. 8
NEW STRONG CONTOUR PAG. 8

INTENSE PULSED LIGHT
ACTION LIGHT PAG. 11

RADIOFREQUENCY
RENEW EVOLUTION PAG. 14

COLOURS
& FINISH WOOD PAG. 17

ZARAH LINE

CAVITATION
DEEPWAVE PAG. 18
DEEPWAVE PLUS PAG. 18

ELECTROEPILATION
DEPIL EASY PAG. 21

ELECTROPORATION
LIFT SKIN PAG. 23

ELECTROSTIMULATION
BEAUTY TONE PAG. 26

LASER
SOFTLIGHT PAG. 29

INTENSE PULSED LIGHT
LIGHTWAVE PAG. 32

MICRODERMABRASION
DEEP CLEAN PAG. 35

PRESS-MASSAGE
PRESSOMASS PAG. 38

RADIOFREQUENCY
RENEW FACE&BODY PAG. 41

ULTRASOUNDS
BODYSON 4 PAG. 44
BODYSON 8 PAG. 44

TROLLEY LINE

OXYGEN TREATMENT
AGELESS PAG. 47

TECHNICAL
SPECIFICATION PAG. 51

Sculpt your body | SCULPTURE EVO

MAC 1336

The acoustic waves generated by the device are propagated from the point of contact with the skin to the deeper layers, causing a disintegration of fat cells that the body disposes in a short time. The acoustic wave generated by Sculpture Evo, is induced by a ballistic generator, where the wave is emitted through a gun shape probe, whose barrel is closed in a part by a metal cap against which is launched a steel projectile using compressed air.

WISTERIA LINE

SCULPTURE EVO is an innovative aesthetic treatment that uses acoustic vibrant waves, effective in the treatment of cellulite (stage I - II - III) and in the reduction of localized fat deposits.

THE EFFECTS

As effect after the treatment, we are witnessing to a metabolism activation, and to a stimulation of lymphatic system. The combination of these effects, in addition to demolish fat cells, stimulates the synthesis of collagen, giving firmness to the fibers and improving the appearance of the skin making it visibly more smooth and soft to the touch.

NEW ICON OF ANTI-CELLULITE TREATMENT

The fibrous cellulite, or more commonly "orange peel skin", is one of blemishest most successfully treated by Sculpture Evo.

The stimulation of metabolism induced by the acoustic waves, and the reactivation of the microcirculation, trigger a mechanism repair and proliferation of new cells against the destruction of fibrous bands.

Hypertrophic cells deflate, contributing in giving an improvement to the body surface and a more toned and uniform skin, removing one of the most unpopular unsightly and difficult to defect, as cellulite.

BEFORE



AFTER



For technical specifications go to pag. 51

Our Experience

The results obtained thanks to the use Sculpture Evo do not need any introduction.

A sequence of treatment consists of about 6-12 sessions, and the first results are already visible after about 3 sessions.
The treatment area is divided into smaller areas of maximum size of cm 20x15. Each of these areas has to be treated with about 2000-2300 shots generated by the device, following the movements suggested by our experts.
The sensation perceived by the customer during treatment is comparable to a vigorous vibrant massage, as a tingling sensation that spreads in the treated area.



FOCUS TARGET
Sculpture Evo is presented to the operator with protocols treatment targeted field-tested, which showed significant results such as:

Improvement of cellulite imperfections

Adiposity reduction

Reactivation of the microcirculation

Skin elasticity improvement

Firming of the treated tissues slimming effect

Circumference reduction



OPTIONAL ACCESSORIES	
CODE	**DESCRIPTION**
■ ACC 1317/2/E	APPLICATOR WITH TRANSMITTER 35 mm
■ ACC 1276	INTERCHANGEABLE KIT FOR APPLICATOR
■ ACC 22315	AESTHETIC TRANSMITTER 35 mm

Make you feel better! | NEW CONTOUR - NEW STRONG CONTOUR

MAC 1316/E MAC 1317/E

WISTERIA LINE

NEW CONTOUR and New Strong Contour are Low frequency ultrasound devices, and represent the latest evolution of cavitation and its effectiveness in fighting against fat and cellulite

A focused action: what is cavitation

Low frequency ultrasound is a winner for the non-surgical reduction of localised adiposities and cellulite (PEFS).
Body zones treated with New Contour react in depth by generating bubbles that, while imploding, bring the adipocytes to break, thus allowing their draining by the hepatic cell and by the renal emunctory, not least with good exercise.

CUTTING-EDGE EQUIPMENT AND TECHNOLOGIES

- Elegant design by ESTETIC ITALIA
- Colour touch screen (10.4")
- USB pen drive, where is possible to store as many personalised programs as you can
- 24 suggested programs stored in the software
- Antennas allowing an easy treatment
- Ergonomic handle, light and aesthetically enhanced
- The shelf, where is possible to store gel and cosmetics
- Horizontal axis, a practical handy towel holder
- Well designed probe holder in plexiglass
- State of art software: possibility to load programs
  – user manual available on display
  – possibility to personalize protocols
  – load and store pre- and post-treatment photos

For technical specifications go to pag. 51

Our experience



Tissue tone
and elasticity
enhancement

Lifting
of body tissues,
immediately evident

Significant enhancement
of the orange peel
effect, which proves to be
both less evident
on the surface and
reduced in depth

Painless treatment

Reduction
of the treated area

Progressive remodeling
of body contour

FOCUSING ON ACCESSORIES

Code	Description	Supplied with New Contour	Supplied with New Strong Contour	What is for
ACC1217/E	Transducer 25 cm^2	●	●	Cavitation transducer, recommended for wide area to treat, e.g. abdomen area, trochanteric area and buttocks,etc..
ACC1217/1/E	Transducer 12 cm^2		●	Cavitation transducer, recommended for treating harms/ internal knee and ankle
ACC917	Bottle of gel ml 260	●	●	Conductive gel to be used always for the treatment
ACC1317/2/E	USB Key	●	●	USB Key to be used as external memory to store programs and clients data sheet
ART1300	Pen for touch screen display	●	●	Pen to be used for selecting options on the touch screen display
	DVD Welcome pack	●	●	DVD containing: • user manual in all languages • Catalogues • Premium service package

... SOME TIPS FOR YOU!

In order to get the best result with our equipment for cavitation New Contour and Strong New Contour, we would like to suggest you the use in combination of:

COMBINATION	PRESSOMASS
SEQUENCE	After the treatment with New Contour or New Strong Contour
TARGET	To improve the lymphatic drainage of the adipocytes and of the other substances generated by their break.

COMBINATION	BODYSON
SEQUENCE	After the treatment with New Contour or New Strong Contour
TARGET	To improve the results of cavitation supporting the lymphatic drainage. It is particularly indicated in the treatment of cellulite.

For a smoother skin! | ACTION LIGHT

MAC 1318/E

such as melanin, a pigment contained in tissues and hair. This rapid and painless method makes possible to see immediate and significant results over time.

In fact, this method is also called progressive depilation, and the results mantain for a long time.

30 YEARS

WISTERIA LINE

ACTION LIGHT is an IPL with a high performance.

CUTTING-EDGE EQUIPMENT AND TECHNOLOGIES

- Elegant design by ESTETIC ITALIA
- Ergonomic handle, light and easy to use
- Colour touch screen display (10.4")
- 50,000 spot handle
- Two spots area available: 5.4 cm^2 and 9 cm^2
- USB pen drive, where is possible to store as many personalised programs as you can
- 24 suggested programs stored in the software
- Antennas allowing an easy treatment
- Ergonomic handle, light and aesthetically enhanced
- The shelf, where is possible to store gel and filters
- Horizontal axis, a practical handy towel holder
- State of art software: possibility to load programs
  – user manual available on display
  – possibility to personalize protocols
  – load and store pre- and post-treatment photo

Pulsed light is a highly sophisticated technology using light energy, the "light", to treat in a simple, fast, effective and not too invasive way a wide range of face and body slight blemishes related to skin ageing (fotorejuvenation), age spots, teleangectasia and permanent hair removal.
The light flash, emitted in spots, acts directly on skin and hair depending on the filter used, but always through a natural vehiculator (chromophores)

For technical specifications go to pag. 52

Teleangectasie

Skin rejuvenation

Couperose

Permanent hair removal hypertrichosis, hirsutism

Age spots and sun spots

Papular pustolar acne

Ingrown hairs and folliculitis

Our experience

Before

After

Before

After

For a smoother skin! | ACTION LIGHT

FOCUSING ON ACCESSORIES

Code	Description	Supplied with Action Light	What is for
ACC1508	Probe for IPL	●	The IPL probe works on an air cooling system. It has a fence where is possible to locate the different filters, according to the treatment to do. It has 50.000 spots guaranteed
ACC1512/7	1 Filter 540 nm	●	Yellow filter works on a wavelength of 540 nm, and it is especially used for: • Skin rejuvenation • Brightening treatment on hyperpigmentation • Senile blemishes
ACC1512/1	1 Filter 560 nm	●	Orange filter works on a wavelength of 560 nm, and it is especially used for: • Hair removal on light skin (phototype I-II-III)
ACC1512/2	1 Filter 630 nm	●	Red filter works on a wavelength of 630 nm, and it is especially used for: • Hair removal on dark skin (phototype IV-V-VI)
ART1300	Pen for touch screen display	●	Pen to be used for selecting options on the touch screen display
ACC955	Protective laser goggles	●	Protective laser goggles for the operator and patient to be used for all treatment time
ACC1300/2/E	Small area spacer	●	Recommended for small area like groin/moustache/chin
ACC1317/2/E	USB Key	●	USB Key to be used as external memory to store programs and clients data sheet
ACC071	Foot switch	●	In order to deliver the IPL, the foot switch has to be used per each spot
	DVD Welcome pack	●	DVD containing: • user manual in all languages • Catalogues • Premium service package

... SOME TIPS FOR YOU!

In order to get the best result with our equipment for IPL Action Light, we would like to suggest you the use in combination of:

COMBINATION	DEEP CLEAN
SEQUENCE	Before the treatment with Action light
TARGET	To improve the effect of IPL in the dermatologic treatments (age spots and acne in particular), reducing the number of sessions with IPL.

COMBINATION	LIFT SKIN
SEQUENCE	Before the treatment with Action light
TARGET	Treatment with vascular products (couperose, teleangectasie, psoriasis). It improves the effects of IPL.

30 YEARS

Renew your body | RENEW EVOLUTION

MAC 1315/E

The temperature increase of tissues together with the fibroblasts stimulation are the most important actions for the treatment with RENEW EVOLUTION. This creates Three-dimensional contraction of collagen fibers with a 360° volume effect recall of liquids to the surface. Wrinkles, stretch marks, and the generally the skin, will get a great and long lasting benefit.
The effects are immediate and the improvement is progressive over time.

WISTERIA LINE

RENEW EVOLUTION is a Bipolar radiofrequency emitter, used for face and body treatments.
By means of the heat on the treated tissues, permits to obtain a progressive improvement.

CUTTING-EDGE EQUIPMENT AND TECHNOLOGIES

- Elegant design by ESTETIC ITALIA
- Ergonomic handles. one for face and one for the body, light and easy to use
- Colour touch screen display (10.4")
- Interchangeable electrodes of 3 different sizes
- USB pen drive, where is possible to store as many personalised programs as you can
- 9 suggested programs stored in the software
- Ergonomic handle, light and aesthetically enhanced
- The shelf, where is possible to store gel and filters
- Horizontal axis, a practical handy towel holder
- State of art software: possibility to load programs
  - user manual available on display
  - possibility to personalize protocols
  - load and store pre - and post- treatment photos

For technical specifications go to pag. 53

Our experience

Tissues hardening

Tissues oxygenation

Improving skin density in short time

Improvement of micro-circulation system

Synthesis of new collagen

Smoothing, lifting effect

Skin restructuring

FOCUSING ON ACCESSORIES

Code	Description	Supplied with Renew Evolution	What is for
ACC1315/E	1 Probe complete with 3 different sizes electrodes	●	Ergonomic handle with activating bottom on it. Supplied with 3 electrodes: 26 mm diameter: suggested for face applications 43 mm diameter: suggested for arms/face applications 68 mm diameter: suggested for body applications
ACC1317/2/E	USB Key	●	USB Key to be used as external memory to store programs and clients data sheet
ACC917	Bottle of gel ml 260	●	Conductive gel to be used always for the treatment
ART1300	Pen for touch screen display	●	USB Key to be used as external memory to store programs and clients data sheet
	DVD Welcome pack	●	DVD containing: • user manual in all languages • Catalogues • Premium service package

... SOME TIPS FOR YOU!

In order to get the best result with our equipment for Radio frequency Renew Evolution, we would like to suggest you its use in combination of:

COMBINATION	LIFT SKIN
SEQUENCE	Before or after the treatment with Renew Evolution
TARGET	Changes as per the product used: best tone and smoothness to the skin face; general improvement of the final result of RF treatments.

COMBINATION	DEEP CLEAN
SEQUENCE	After the treatment with Renew Evolution
TARGET	To remove the superficial skin cells and to improve the final result of RF treatments.

COMBINATION	AGELESS
SEQUENCE	Before and after the treatment with Renew Evolution
TARGET	Improvement of the final result of RF treatments.

On demand | WISTERIA COLOURS & WISTERIA WOOD

Choose the colour!

Case available upon request with coloured back cover only or coloured covers on both sides (front and back).

Choose your wood!

Case available upon request with coloured back cover only or coloured covers on both sides (front and back).

MAC 1316/E/F
Wenge finish

Easy slimming as it can be! | DEEPWAVE - DEEPWAVE PLUS

MAC 545/E

MAC 571/E

ZARAH LINE

Deepwave and Deepwave Plus are Low frequency ultrasound devices, and represent the latest evolution of cavitation and its effectiveness in fighting against fat and cellulite

A focused action: what is cavitation

Low frequency ultrasound is a winner for the non-surgical reduction of localised adiposities and cellulite (PEFS).

Body zones treated react in depth by generating bubbles that, while imploding, bring the adipocytes to break, thus allowing their draining draining by lynphatics, the hepatic cell and by the renal emunctory, not least with good exercise.

CUTTING-EDGE EQUIPMENT AND TECHNOLOGIES

- Elegant design by ESTETIC ITALIA
- Graphic display
- Deepwave with 1 output / Deepwave Plus with 2 independent outputs
- 24 suggested programs stored in the software
- Possibility to store up to 100 protocols in the user memory
- Ergonomic handle, light and aesthetically enhanced
- The shelf, where is possible to store gel cosmetics
- Easy and intuitive software: possibility to load programs – possibility to personalize protocols
- Possibility to update the software
- Smart Card, where is possible to store personalised programs

For technical specifications go to pag. 55

Our experience

Painless treatment

Body sculpturing: reduction of the treated area

Progressive remodeling of body contour

Tissue tone and skin elasticity enhancement

Lifting of body tissues, immediately evident

Significant enhancement of the orange peel effect, which proves to be both less evident on the surface and reduced in depth

Easy slimming as it can be! | DEEPWAVE - DEEPWAVE PLUS

FOCUSING ON ACCESSORIES

Code	Description	Supplied with Deep Wave	Supplied with Deep Wave Plus	What is for
ACC554/E	Transducer 25 cm^2	●	●	Cavitation transducer, recommended for wide area to treat
ACC554/1/E	Transducer 12 cm^2		●	Cavitation transducer, recommended for treating harms/abdomen area
ACC917	Bottle of gel ml 260	●	●	Conductive gel to be used always for the treatment
ACC525	Smart Card	●	●	Smart Card to be used as external memory to store personalized programs
	DVD Welcome pack	●	●	DVD containing: • user manual in all languages • Catalogues • Premium service package

... SOME TIPS FOR YOU!

In order to get the best result with our equipment for cavitation Deepwave and Deepwave Plus, we would like to suggest you the use in combination of:

COMBINATION	PRESSOMASS
SEQUENCE	After the treatment with Deepwave or Deepwave Plus
TARGET	To improve the lymphatic drainage of the adipocytes and of the other substances generated by their break.

COMBINATION	BEAUTY TONE
SEQUENCE	Post treatment
TARGET	To tone up the area

COMBINATION	BODYSON
SEQUENCE	After the treatment with Deepwave or Deepwave Plus
TARGET	To improve the results of cavitation supporting the lymphatic drainage. It is particularly indicated in the treatment of cellulite.

No hair is better! | DEPIL EASY

30 YEARS

ZARAH LINE

DEPIL EASY is an epilator which removes the hair at the root by means of a probe (needle) transmitting electric currents.

MAC 1312/E

CUTTING-EDGE EQUIPMENT AND TECHNOLOGIES

- Elegant design by ESTETIC ITALIA
- Desktop equipment
- Graphic Display
- 5 work procedures

As for depilation, DEPIL EASY is the permanent solution. Such technique is also known as diathermy-coagulation: through a needle, high frequency electric current is passed into the hair follicle, and, turning into thermal energy, destroys the hair.

This technique can be applied to the entire body and face of man and women affected by slight and serious hirsuties, hypertrichosis, excess hair on face and body.

For technical specifications go to pag. 55

1. Hydrolysis - consists of applying to the hair root continuous electric current. This type of current causes a chemical reaction on the skin, which frees sodium hydroxide, a compound able to destroy the hair follicle. Hydrolysis technique is very effective but on the same time slow and painful.

2 Thermolysis - works on the action of the heat caused by the high frequency current on the probe (needle).

It is advisable to use screened needle to avoid small burns or scars.

3 Multi-Flash - is based on the use of high intensity but only for fractions of seconds, repeated more times in few seconds.

4 Blend - combines the continuous current of the hydrolysis with the high frequency current of the thermolysis.

The high frequency prepares the skin, in order to facilitate the spreading of the continuous current, burning the hair follicle.

5 Multi-Blend
It is the repeated blend in sequence

Five different applications to obtain the following results: reduction of hair bulbs of face, body, breast and all the areas requiring hair reduction both in men and women.

FOCUSING ON ACCESSORIES

Code	Description	Supplied with Depil Easy	What is for
ACC049	Needle probe	●	Pen probe, where the needle has to be placed
ACC107	10 Insulated needles	●	N. 10 Insulated needles stored in 10 individual cases for a safety and hygienic use
	DVD Welcome pack	●	DVD containing: • user manual in all languages • Catalogues • Premium service package

As smooth as ever! | LIFT SKIN

MAC 1309/E

ZARAH LINE

LIFT SKIN, was initially designed to be an electroporator (supplier of dynamic currents) but it later turned itself combining ultrasounds together with chrome, thus reaching an excellent result against skin imperfections of men and women.

30 YEARS

Ultrasounds - The 3 Mhz ultrasound emitted by the body probe, creates disturbances among the particles within the tissues, compressing and decompressing them.

The very best electroporator made by ESTETIC ITALIA, a synergy of 3 different technologies

Electroporation - it is the new treatment adopted in the field of beauty, which boosts the transdermal delivery of the active principles contained in cosmetics/dermocosmetics/aesthetic medical cocktails applied on face and body, to obtain immediate and clear results against aesthetic problems of men and women.

Chrome - Besides the feeling of relax, the red and blue colours emitted by the LIFT SKIN face and body probe, interact with the cell vibration, by acting on the tissues and by improving their aspect during and after each treatment.

CUTTING-EDGE EQUIPMENT AND TECHNOLOGIES

- Elegant design by ESTETIC ITALIA
- LCD back lit display, 240x128 pixel
- 12 suggested programs stored in the software
- Ergonomic handle, light and aesthetically enhanced
- Easy and intuitive software:
  – possibility to load programs
  – possibility to personalize protocols
- The self, where is possible to store gel and cosmetics

For technical specifications go to pag. 54

Rejuvenating effect

face and body lifting after the first session

Tissue hardness

Breast hardening

Fat reduction

Reduction of the orange-peel effect

Tissue toning up

Stretch marks shrinking

As smooth as ever! | LIFT SKIN

FOCUSING ON ACCESSORIES

Code	Description	Supplied with Lift SkIn	What is for
ACC1311/E	3 Spheres electroporator	●	With this probe, is possible to boost the transdermal delivery of serums on face or body, through a dynamic current
ACC1310/E	Face + Chrome electroporator probe	●	Probe delivering electroporator with the chromo therapy, especially used for face treatments
ACC1309/E	Chrome + Ultrasounds electroporator probe	●	Probe designed for body applications delivering ultrasound/chrome and electroporator
ACC129	Cylindrical probe	●	Metal pen to be held by patient in order to activate the automatic contact sensor for ultrasound
ACC329/E	Elastic band with Velcro	●	To be used for fixing the rubber and sponge electrode
ACC302	Rubber electrode	●	
ACC27	Sponge for electrode	●	
	Bottles for 3 spheres probe	●	To be used with the electroporator probe, where is possible to put cosmetics cocktail
	DVD Welcome pack	●	DVD containing: • user manual in all languages • Catalogues • Premium service package

... SOME TIPS FOR YOU!

In order to get the best result with our equipment for ELECTROPORATION LIFTSKIN, we would like to suggest its use in combination of:

COMBINATION	LIGHTWAVE ACTION LIGHT
SEQUENCE	After the treatment with Action Light / Lightwave
TARGET	Good sinergy for vascular treatment (couperose, teleangectasie, psoriasis)

COMBINATION	AGELESS
SEQUENCE	Before or After the treatment with Lift Skin
TARGET	Improved results of actives and cosmetics cocktail

COMBINATION	RENEW FACE AND BODY RENEW EVOLUTION
SEQUENCE	Before or After the treatment with Lift Skin
TARGET	Improved results

Tone up your body! | BEAUTY TONE

30 YEARS

ZARAH LINE

BEAUTY TONE, is a device generating different types of waves and frequencies, which are transmitted to face and body tissue through the application of adhesive electrodes.

MAC 1311/E

CUTTING-EDGE EQUIPMENT AND TECHNOLOGIES

- Elegant design by ESTETIC ITALIA
- Desktop equipment
- Back lit LCD display 240x128 pixel
- 24 suggested programs stored in the software
- Possibility to store up to 100 protocols in the user memory
- 8 outputs with 16 electrodes to treat different areas
- Easy and intuitive software:
  – possibility to load programs
  – possibility to personalize protocols

The supply of different frequencies enables the possibility of different use in the aesthetics, sport and wellbeing fields.

A relevant muscle and tissue hardening, as well as an excellent body sculpture which includes a pleasant massage made by tens wave.

The synergy of the different programs and the wide range of choice ensure several applications for face and body of men and women.

For technical specifications go to pag. 56

Reduction and remodeling of the treated area

Light and deep sequential drainage

Face and body remodeling

Improvement of the tone and elasticity of the skin tissue

Against edematous/adipose or mixed panniculite

Tone up your breast

Face and body muscle hardening

Relax given by tens wave





Tone up your body! | BEAUTY TONE

FOCUSING ON ACCESSORIES

Code	Description	Supplied with Beauty Tone	What is for
ACC1311/3/E	Ouptut cable	●	Ouptut cable complete with electrodes
ACC305/E	Adhesive Electrodes	●	N.4 Disposable and Adhesive electrodes 45x80 mm.
ACC306/E	Adhesive Electrodes	●	N.4 Disposable and Adhesive electrodes 45x35 mm.
	DVD Welcome pack	●	DVD containing: • user manual in all languages • Catalogues • Premium service package

... SOME TIPS FOR YOU!

In order to get the best result with our equipment for electrostimulation BEAUTY TONE, we would like to suggest its use in combination of:

COMBINATION	DEEPWAVE
SEQUENCE	Before treatment with Beauty Tone
TARGET	To reduce the localized fat

A sparkling light! | SOFTLIGHT

MAC 1301/E

“Dermal Biorevitalization: Softlight acts as a stimulant of all those cellular metabolic processes that can improve the tissue texture.
The dermal structure absorbs the light and reacts with bio-stimolating effects, photo-activating enzymatic and regenerating tissue thanks to the stimulation of blood microcirculation.”

ZARAH LINE

**SOFTLIGHT is an infrared laser device working on 905 nm.
IR laser acts as a stimulator of all those cellular metabolic and cell energetic processes which help the tissue maintenance, in order to effect bio-stimulating treatments on face, neck, decolleté and body.**

30 YEARS

CUTTING-EDGE EQUIPMENT AND TECHNOLOGIES

- Essential design by ESTETIC ITALIA
- LCD Graphic Display 240x128 pixel
- 2 independent outputs
- Trolley mounted equipment
- Smart Card, where is possible to store personalised programs
- 2 Ergonomic handle, light and aesthetically enhanced
- 30 suggested programs stored in the software
- Possibility to store up to 100 protocols in the user memory
- The shelf, where is possible to store gel cosmetics
- Easy and intuitive software:
  – possibility to load programs
  – possibility to personalize protocols

For technical specifications go to pag. 58

Cellulite : Micro-circulation stimulation

Treatment of oedema

Bio-stimulation and tissue regeneration

Tissues tonification /wrinkles

Acceleration of collagen production

Improving of Stretch marks

Hypermelanosis

Elimination of toxins Intra and extra-cellular exchanges relaunch improvement of the micro-blood circulation and consequently improvement of tissue oxigenation

Our experience

A sparkling light! | SOFTLIGHT

FOCUSING ON ACCESSORIES

Code	Description	Supplied with Softlight	What is for
ACC539/E	Laser probe 100 mw	●	Laser probe with one diode of 100 mw average power, indicated for face treatments
ACC541/E	Laser probe 500 mw	●	Laser probe with 5 diodes of 100 mw average power each, indicated for wide area treatments
ACC062	n. 2 protective laser goggles	●	To wear by operator and client during the treatment, to protect the eyes
	Smart Card	●	Smart Card to be used as external memory in order to store personalized protocols in
ART539/2	Interlock (Safety Key)	●	Three pin interlock to be connected to the unit, for delivering the laser
	DVD Welcome pack	●	DVD containing: • user manual in all languages • Catalogues • Premium service package

... SOME TIPS FOR YOU!

In order to get the best result with our equipment for laser SOFTLIGHT, we would like to suggest its use in combination of:

COMBINATION	DEEP CLEAN
SEQUENCE	Before the treatment with Softlight
TARGET	To improve the effect of laser in the dermatologic treatments

COMBINATION	AGELESS
SEQUENCE	After the treatment with Softlight
TARGET	It allows to use different products as per the effect to obtain and it improves the effect of laser

COMBINATION	LIFT SKIN
SEQUENCE	Before the treatment with Softlight
TARGET	Treatment with vascular products (couperose). It improves the effect of laser

Keep your hair FREE zone | LIGHTWAVE

MAC 1314/E

This technology, thanks to bright energy emissions, allows to hit the interested area without injuring the surrounding tissues.

The action of IPL is particularly visible on treatments for skin rejuvenation and progressive depilation.

ZARAH LINE

The IPL method (Intense Pulsed Light) is the revolutionary technique for epilation and treatment of skin blemishes on face and body.

CUTTING-EDGE EQUIPMENT AND TECHNOLOGIES

- Essential design by ESTETIC ITALIA
- Touch screen colour Display 6”
- Trolley mounted equipment
- 50.000 spots handle guaranteed
- 3 Interchangeble filters: 540 nm, 560 nm, 630 nm
- Single pulse and train pulses (up to 3 pulses)
- Output energy up to 130 Joules
- Air cooling system, ensuring a long life system
- Smart Card, where is possible to store personalised programs
- 12 pre-set programs stored in the software
- Ergonomic handle, light and aesthetically enhanced
- The shelf, where is possible to store gel cosmetics
- Easy and intuitive software: possibility to load programs – possibility to personalize protocols

For technical specifications go to pag. 52

Our experience

Skin rejuvenation

Hyperthrichosis, hirsuties

Couperose

Senile spots (age spots). hyper-pigmentations, sun spots

Permanent hair remouval

Teleangectasie

Keep your hair FREE zone | LIGHTWAVE

FOCUSING ON ACCESSORIES

Code	Description	Supplied with Action Light	What is for
ACC1508	Probe for IPL	●	The IPL probe works on an air cooling system. It has a fence where is possible to locate the different filters, according to the treatment to do. It has 50.000 spots guaranteed
ACC1512/7	1 Filter 540 nm	●	Yellow filter works on a wavelength of 540 nm, and it is especially used for: • Skin rejuvenation • Brightening treatment on hyperpigmentation • Senile blemishes
ACC1512/1	1 Filter 560 nm	●	Orange filter works on a wavelength of 560 nm, and it is especially used for: • Hair removal on light skin (phototype I-II-III)
ACC1512/2	1 Filter 630 nm	●	Red filter works on a wavelength of 630 nm, and it is especially used for: • Hair removal on dark skin (phototype IV-V-VI)
ART1300	Pen for touch screen display	●	Pen to be used for selecting options on the touch screen display
ACC955	Protective laser goggles	●	Protective laser goggles for the operator and patient to be used for all treatment time
ACC1300/2/E	Small area spacer	●	Recommended for small area like groin/moustache/chin
ACC1317/2/E	USB Key	●	USB Key to be used as external memory to store programmes and clients data sheet
ACC071	Foot switch	●	In order to deliver the IPL, the foot switch has to be used per each spot
	DVD Welcome pack	●	DVD containing: • user manual in all languages • Catalogues • Premium service package

... SOME TIPS FOR YOU!

In order to get the best result with our equipment for IPL Lightwave, we would like to suggest its use in combination of

COMBINATION	DEEP CLEAN
SEQUENCE	Before the treatment with Lightwave
TARGET	To improve the effect of IPL in the dermatologic treatments (age spots and acne in particular), reducing the number of sessions with IPL

COMBINATION	LIFT SKIN
SEQUENCE	Before the treatment with Lightwave
TARGET	Treatment with vascular products (couperose, teleangectasie, psoriasis). It improves the effects of IP

For a crystal clean skin | DEEP CLEAN

MAC 1310/E

The cornea exfoliation, carefully made with DEEP CLEAN, is carried out with a pen fitted with a perforated disposable hood which enables the supply and the intake of the corundum micro crystals (mineral reduced in tiny particles).

In a fast but accurate way, the operator passes the probe over the face and/or body to be treated (as if he drew some lines with a pen).

During the passage of the probe, the corundum powder is supplied through the hole of the inhaled tissue, and the crystals together with the abraded skin are inhaled by the same hole and driven into the dumping tank placed on the back of the device. At each passage, the operator removes a micro layer of skin, giving a fresh appearance!

30 YEARS

ZARAH LINE

DEEP CLEAN is a device for skin exfoliation.

CUTTING-EDGE EQUIPMENT AND TECHNOLOGIES

- Essential design by ESTETIC ITALIA
- Graphic Display LCD 240x128 pixel
- Trolley mounted equipment
- Disposable hoods for the absolute hygiene of operator and client
- Excellent performance throughout the system life
- About 45 treatments guaranteed with the supplied corundum bottle
- Ergonomic handle with interchangeable hoods
- The shelf, where is possible to store gel cosmetics
- Easy and intuitive software:
  – possibility to load programs
  – possibility to personalize protocols

For technical specifications go to pag. 56

Excellent face and body peeling

Hypertrophic scars

Acne and chicken pox results
stretch marks,
skin pigmentation, as for example the so called age spots, also in the hands wrinkles
(Horizontal wrinkles "of the forehead;" Crow's feet "on the side of the eyes;" frown "that exist between the eyebrows;" smoker's wrinkles, etc..)

For a crystal clean skin | DEEP CLEAN

FOCUSING ON ACCESSORIES

Code	Description	Supplied with New Contour	What is for
ACC1313/E	Probe for face and body	●	
ACC1313/1/E	10 hoods	●	Disposable hoods to be placed on the probe, using one per each treatment
	1 Container of Corundum crystals 2 kg	●	Corundum powder used for the treatment
	DVD Welcome pack	●	DVD containing: • user manual in all languages • Catalogues • Premium service package



... SOME TIPS FOR YOU!

In order to get the best result with our equipment for Microdermabrasion Deep Clean, we would like to suggest its use in combination of:

COMBINATION	LIFT SKIN
SEQUENCE	After the treatment with Deep Clean Adjuvant effect.
TARGET	To improve the lymphatic drainage of the adipocytes and of the other substances generated by their break.

COMBINATION	AGELESS
SEQUENCE	After the treatment with Deep Clean
TARGET	It improves the effect of the products used during the treatment with Ageless, removing the superficial stratum of the skin.

Improve your lymphatic system | PRESSOMASS

MAC 1305/E

The massage is done through a boot with 9 independent sectors, overlapped like a “herring bone” (kit point), by means of which the pressing push gradually overlaps itself without leaving interspaces during the inflating thus eliminating the danger of a back flow and improving the circulation.

This method has been designed to “drain” the limb, from the bottom to the top, slowly and continuously, respecting the venous-lymphatic system.

ZARAH LINE

PRESSOMASS is a press-massage device for sector massages and venous-lymphatic drainage

30 YEARS

CUTTING-EDGE EQUIPMENT AND TECHNOLOGIES

- Essential by ESTETIC ITALIA
- Graphic dislpay LCD 240x128 pixel
- Trolley mounted equipment
- 40 pre-set programs for men and women
- 9 independent sectors, each of which can be set out with differentiated work pressure
- Excellent quality of garments, with “herring bone” setting of the sectors, allowing the real massage
- Smart Card, where is possible to store personalised programs
- User memory
- Comfortable Pouch to store the garments
- The shelf, where is possible to store gel cosmetics
- Easy and intuitive software: possibility to load programs – possibility to personalize protocols
- Possibility to update the software

For technical specifications go to pag. 57

Improvement of venous-lymphatic drainage

Reduce Cellulites increasing blood flow

Remove the subcutaneous toxins

Treat swelling legs and ankles

Restore a good circulation

Release from water retention



Improve your lymphatic system | PRESSOMASS

FOCUSING ON ACCESSORIES

Code	Description	Supplied with New Contour	What is for
ACC1313/E	Kit point 9 sectors	●	Kit point with 9 independent sectors complete with: 2 feet with 2 sectors, 2 boots with 4 sectors + groin sectors + belly with 2 sectors.
ACC1313/1/E	Boot pouch	●	Comfortable Pouch to place on the bed where is possible to store the kit point
ACC535/E	Upper limbs with 5 sectors	●	Kit point for upper limbs composed of 2 arms
	Smart Card	●	Smart Card to be used as external memory in order to store personalized protocols in
	DVD Welcome pack	●	DVD containing: • user manual in all languages • Catalogues • Premium service package

... SOME TIPS FOR YOU!

In order to get the best result with our equipment for Press-massage PRESSOMASS, we would like to suggest its use in combination of:

COMBINATION	DEEPWAVE - DEEPWAVE PLUS NEW CONTOUR - NEW CONTOUR PLUS
SEQUENCE	After the treatment with Pressomass
TARGET	To improve the lymphatic drainage of the adipocytes and of the other substances generated by their break

Heat up your appeal! | RENEW FACE & BODY

MAC 1313/E

ZARAH LINE

RENEW FACE & BODY is a monopolar radio frequency, it transfers energy (in the form of heat) to the skin layers, creating a significant hyperthermia, which causes reactions able to urge the cellular metabolism

30 YEARS

Thanks to the action of RENEW FACE&BODY, the thick three-dimensional woof, made of collagen and elastic fibres bundle which form the derma layer, is stimulated through a considerable increase in temperature.

The hyperthermia effect obtained during the treatment lasts long time, and it gives an excellent result immediately after the first session!

CUTTING-EDGE EQUIPMENT AND TECHNOLOGIES

- Essential design by ESTETIC ITALIA
- Touch screen colour display 6”
- 2 outputs
- Temperature sensor monitoring the temperature of the skin
- Trolley mounted equipment
- 2 handles, and 6 electrodes of different sizes for each body area
- Excellent performance throughout the system life
- Software with a step by step procedure on how to use the device and its movements
- The shelf, where is possible to store gel cosmetics
- Easy and intuitive software

For technical specifications go to pag. 53

Treatment of body tissue relaxation: synthesis of new collagen Cellulite. Recall of liquids to the surface, and improvement of micro-circulation system.

Acne: Eliminate the toxins

Tone up breast (cooper ligaments)

Wrinkles: Smoothing, lifting effect

Scars: skin restructuring

Tissues oxygenation

Our experience

BEFORE
The surface temperature of the area to treat is about 32°C.

DURING
During the treatment, the temperature rises because of the heat production, but the operator can adjust it according to the treated subject.

AFTER
The action caused by the temperature in the tissues lasts for many hours.
The concentration of free radicals decreases consistently, thus leaving a progressive and clear rejuvenation effect on the treated areas.

Heat up your appeal! | RENEW FACE & BODY

FOCUSING ON ACCESSORIES

Code	Description	Supplied with New Contour	What is for
ACC1505/2	1 Probe for body treatment	●	Probe dedicated for the use of Ø 30 - Ø 40 mm inserts
ACC1505/1	1 Probe for face treatment	●	Probe dedicated for the use of Ø 50 - Ø 60 - Ø 70 mm inserts
ACC1307/3	Insert for RF Ø 30 mm	●	Different size electrodes: mm 30/40 suggested for face applications and small parts mm 50/60/70 suggested for body/abdomen applications
ACC1307/4	Insert for RF Ø 40 mm	●	
ACC1307/5	Insert for RF Ø 50 mm	●	
ACC1307/6	Insert for RF Ø 60 mm	●	
ACC1307/7	Insert for RF Ø 70 mm	●	
ACC1310	Plate for monopolar body treatment	●	Indicated for body treatments
ACC1309	Cylindrical probe (contact sensor)	●	Indicated for face treatments
ACC917	Bottle of gel ml 260	●	Conductive gel to be used always for the treatment
	DVD Welcome pack	●	DVD containing: • user manual in all languages • Catalogues • Premium service package

... SOME TIPS FOR YOU!

In order to get the best result with our equipment for Radio frequency RENEW FACE & BODY, we would like to suggest its use in combination of:

COMBINATION	LIFT SKIN
SEQUENCE	Before or after the treatment with Renew Face & Body
TARGET	The target changes as per the product used: best tone and smoothness to the skin face; general improvement of the final result of RF treatments.

COMBINATION	AGELESS
SEQUENCE	Before and after the treatment with Renew Face & Body
TARGET	Improvement of the final result of RF treatments.

The ultrasound with a special spark! | BODYSON 4 - BODYSON 8

MAC 1303/E

MAC 1304/E

ZARAH LINE

BODYSON 4 and BODYSON 8, are Ultrasound devices, supplied with 4 plates or 8 plates, delivering ultrasound on 3Mhz

30 YEARS

The ultrasounds properties are based on mechanic vibrations which rapidly oscillate.
They produce in the tissues very high energy intensity in the form of vibrating movement, which in turn acts as a very healthy massage.

During the passage of these oscillations, the tissue vibrates at their same frequency and it takes advantages of the deriving effects, in form of pressure and heating. Consequently, there is an increase of the cellular interchange, which will improve your skin elasticity and your figure!

CUTTING-EDGE EQUIPMENT AND TECHNOLOGIES

- Essential design by ESTETIC ITALIA
- LCD graphic Display 240x128 pixel
- Trolley mounted equipment and Desktop
- Waterproof plates
- Fix applications - operator independent
- 21 pre-set programs
- Smart Card, where is possible to store personalised programs
- User memory
- The shelf, where is possible to store gel cosmetics
- Easy and intuitive software:
  – possibility to load programs
  – possibility to personalize protocols
- Possibility to update the software

For technical specifications go to pag. 57

Our experience

Reshaping of localized adiposity

Treatment of "orange peel" and rough skin

Reduction of cellulitic nodules with a relevant draining effect

Increase and improvement of tissue plasticity

Improving of tissues tone and consequent smooth skin

Reactivation of local circulation and skin feeding

Better penetration of the active principles contained in the cosmetics



The ultrasound with a special spark! | BODYSON 4 - BODYSON 8

FOCUSING ON ACCESSORIES

Code	Description	Supplied with Bodyson 4	Supplied with Bodyson 8	What is for
ACC1304/E	4 Ultrasound plates	●		Ultrasound plates to be used for fix applications
ACC1303/E	8 Ultrasound plates		●	
ACC329/E	6 Elastic band with Velcro	●	●	To be used for fixing the ultrasound plates
ACC917	Bottle of gel ml 260	●	●	Conductive gel to be used always for the treatment
	Smart Card	●	●	Smart Card to be used as external memory in order to store personalized protocols in
	DVD Welcome pack	●	●	DVD containing: • user manual in all languages • Catalogues • Premium service package

... SOME TIPS FOR YOU!

In order to get the best result with our equipment for Ultrasound BODYSON 4 and BODYSON 8, we would like to suggest its use in combination of:

COMBINATION	DEEPWAVE - NEW CONTOUR NEW STRONG CONTOUR
SEQUENCE	Before the treatment with Bodyson 4 and Bodyson 8
TARGET	To improve the result in the treatment of Cellulite(PEFS)

The star of the treatments with oxygen | AGELESS

MAC 1319/E

AGELESS supplies 93% of pure oxygen breathing it from the environment by a special patented system of filtration making a constant emission of oxygen. Increasing the level of the oxygens production in the epidermis is possible to stimulate the production of elastin and collagen, true pillars of our beauty.

To exploit in the better way the property of the oxygen, Estetic Italia offers a perfect combination of actives that are transmitted to the skin in different ways: Direct method (the actives are directly positioned on the skin and subsequently transmitted by the oxygen to the specific area to treat) or Indirect method (the transmission of the actives is made by the airbrush which allows the combined use of the oxygen and actives).

30 YEARS

TROLLEY LINE

A brilliant, healthier, tonic and naturally younger skin is the result you can get using the equipment for oxygen treatment with brand name Estetic Italia.

CUTTING-EDGE EQUIPMENT AND TECHNOLOGIES

- Portable device
- No counter indications
- All year treatment
- Easy to use equipment
- Aerograph with possibility to deliver the serums directly on indirectly
- In built hour counter in the device, making possible to set the treatment to the desired time

For technical specifications go to pag. 58

Smooth and give brightness to the tissues

Reduce the stress and tiredness

Reduce the stretch marks

Regenerate the tissues fighting the aging process

Nourish and oxygenate the skin increasing its hydration

Decongest the skin with significant benefits on couperose

Diffuse the actives deeply into the skin making the appearance younger

Ageless allies

For a perfect synergy, as an optional accessories, Estetic Italia propose you our two package of Beauty cosmetics to be used in association with AGELESS:

Oxyvit

A Cosmetic treatment, especially indicated for regenerating the tissues made of :

- 7 ampoules of 5 ml containing vitamins + 7 ampoules of activator
- 1 Antiage mask
- 1 Soft scrub
- 1 Jalucream

Oxy-jalur

A Cosmetic treatment, especially indicated for Glowing smoothness and youthful luminosity:

- 7 ampoules of 5 ml of jaluronic acyd
- 1 Antiage mask
- 1 Soft scrub
- 1 Jalucream

The star of the treatments with oxygen | AGELESS

FOCUSING ON ACCESSORIES

Code	Description	Supplied with Ageless	What is for
ACC1319/1/E	1 Airbrush	●	Airbrush which delivers the oxygen. At the top, there is a small tank where is possible to put in some cosmetic cocktail in order to deliver directly the combination of them with the oxygen
ACC1319/2/E	1 Plastic tube for oxygen	●	
ACC1210/E	1 Kit Vitamins	●	A Cosmetic treatment, especially indicated for regenerating the tissues made of : • 7 vitamins ampoules + 7 activator ampoules of 5 ml • 1 Antiage mask • 1 Soft scrub • 1 Jalucream
ACC1211/E	1 Kit hyaluronic acids	●	A Cosmetic treatment, especially indicated for Glowing smoothness and youthful luminosity: • 7 ampoulesof 5 ml • 1 Antiage mask • 1 Soft scrub • 1 Jalucream
	DVD Welcome pack	●	DVD containing: • user manual in all languages • Catalogues • Premium service package

... SOME TIPS FOR YOU!

In order to get the best result with our equipment for Oxygen AGELESS, we would like to suggest its use in combination of:

COMBINATION	RENEW FACE & BODY
SEQUENCE	Before the treatment with Ageless
TARGET	To improve the oxygenation of the tissues. Different effects as per the actives used during the treatment

COMBINATION	DEEP CLEAN
SEQUENCE	Before the treatment with Ageless
TARGET	It allows to use different products as per the effect to obtain and it improves the effect of laser

COMBINATION	LIFT SKIN
SEQUENCE	Before or after the treatment with Ageless
TARGET	To improve the effect of the actives used during the treatment removing the superficial stratum of the skin

notes

Technical specifications

TECHNICAL SPECIFICATIONS	SCULPTURE EVO
Main power supply	230 Vac, 50-60 Hz, ±10% (115 Vac, 50-60 Hz, ±10% upon request)
Double fuse protection on the network delayed-type (T)	230 Vac - 6.3 A-T 5 x 20 mm - 115 Vac
Display	LCD Colour Touch screen 10.4”
Emission mode	Single / Continuous
Equipment operation pressure	1.5 - 4 bar - a step di 0.1 bar
Shot frequency emission	1 – 15 Hz - a step di 1 Hz
Total shots	2 millions
Head of applicator	diameter 35 mm
Storable protocols on USB	200*
Protocols that can be stored on the internal memory	200
Man and women stored protocols	11
Dimensions	cm 39x62x111H
Weight	Kg. 25
* Depending on USB key memory	

TECHNICAL SPECIFICATIONS	NEW CONTOUR	NEW STRONG CONTOUR
Main power supply	230 Vac, 50-60 Hz, ±10% (115 Vac, 50-60 Hz, ±10% upon request)	230 Vac, 50-60 Hz, ±10% (115 Vac, 50-60 Hz, ±10% upon request)
Max. absorbed power	100 VA	150 VA
Display	Colour Touch screen 10.4”	Colour Touch screen 10.4”
Programmable treatment time	Up to 30 minutes	Up to 30 minutes
Emission frequency	38 kHz ± 15%	38 kHz ± 15%
Output channel	1	2 independent
Storable protocols on user memory	100	100
Storable protocols on USB	200*	200*
Storable client data sheets on USB	100*	100*
Man and women pre-set protocols	24	24
Dimensions	cm 39x62x111H	cm 39x62x111H
Weight	Kg. 19,65	Kg. 20,2
* Depending on USB key memory		

TECHNICAL SPECIFICATIONS	ACTION LIGHT		LIGHTWAVE	
Main power supply	230 Vac, 50-60 Hz, ±10% (115 Vac, 50-60 Hz, ±10% upon request)		230 Vac, 50-60 Hz, ±10% (115 Vac, 50-60 Hz, ±10% upon request)	
Max. absorbed power	430 VA		430 VA	
Double protection fuse on power supply	230 Vac	6.3 A Ret. - 5 x 20 mm	230 Vac	2.5 A Ret. - 5 x 20 mm
	115 Vac	10 A Ret. - 5 x 20 mm	115 Vac	5 A Ret. - 5 x 20 mm
Display	LCD Colour Touch screen 10.4”		Colour Touch screen 6”	
Risk class	I		I	
Standard wavelenght	(540 - 1200) nm		(540 - 1200) nm	
Lamp duration	50.000 flash		50.000 flash	
Energy released by lamp	130 J max		130 J max	
Outputs	1		1	
Area spot	9 cm^2	5,4 cm^2	9 cm^2	5,4 cm^2
Emission mode	Single pulse - Set of pulses (up to 3)		Single pulse - Set of pulses (up to 3)	
Filters supplied	Yellow	(540 – 1200) nm	Yellow	(540 – 1200) nm
	Orange	(560 – 1200) nm	Orange	(560 – 1200) nm
	Red	(630 – 1200) nm	Red	(630 – 1200) nm
Output check	Discharge controlled by the foot switch		Discharge controlled by the pedal switch	
Stored protocols	10 for woman and man		10 for woman and man	
Storable protocols on user’s memory	200		100	
Storable protocols on on USB	200*		100	
Cooling system	Forced air		Forced air	
Trolley-mounted container, external dimensions	cm 39x30x111H		cm 39x30x92H	
Weight	Kg. 20,2		Kg. 32	
* Depending on USB key memory				

TECHNICAL SPECIFICATIONS	RENEW EVOLUTION		RENEW FACE & BODY	
Main power supply	230 Vac, 50-60 Hz, ±10% (115 Vac, 50-60 Hz, ±10% upon request)		230 Vac, 50-60 Hz, ±10% (115 Vac, 50-60 Hz, ±10% upon request)	
Max. absorbed power	200 VA		250 VA	
Double protection fuse on power supply	230 Vac	1.6 A Ret. - 5 x 20 mm	230 Vac	1.6 A Ret. - 5 x 20 mm
	115 Vac	3.15 A Ret. - 5 x 20 mm	115 Vac	3.15 A Ret. - 5 x 20 mm
Display	LCD Colour Touch screen 10.4”		Colour Touch screen 6”	
Risk class	I		I	
Programmable treatment time	Till 99 minutes		Till 99 minutes	
Emission frequency on the probe	455 KHz ± 10%		455 KHz ± 10%	
Electrodes diameter	25 - 45 - 70 mm		30 - 40 - 50 - 70 mm	
Polarity of the pole	Bipolar		Monopolar	
Adjustable Duty Cycle	(10 - 100) %		(10 - 100) %	
Temperature	(34÷45)°C ± 1°C		(34÷45)°C ± 1°C	
Output	1		1	
Stored protocols (for woman and man)	9		2	
Storable protocols on user’s memory	200		100	
Storable protocols	200* on USB		100 on Smart card	
Output RF power supplied	170 W continuous		180 W continuous	
Trolley-mounted container, external dimensions	cm 39x62x111H		cm 39x30x92H	
Weight	Kg. 19,65		Kg. 32	

* Depending on USB key memory

TECHNICAL SPECIFICATIONS	LIFT SKIN	
Main power supply	230 Vac, 50-60 Hz, ±10% (115 Vac, 50-60 Hz, ±10% upon request)	
Max. absorbed power	430 VA	
Double protection fuse on power supply	230 Vac	1.6 A Ret. - 5 x 20 mm
	115 Vac	3.15 A Ret. - 5 x 20 mm
Display	Graphic 240 x 128 pixels	
Risk class	I	
Electric insulation class	I - BF	
Programmable treatment time	Till 99 minutes	
Probes supplied with the device	1 face probe Electro-poration+ chrome	
	1 body probe electro-poration + chrome + ultrasounds	
	1 tri-spherical face/body probe For electro-poration	
Body probe led colours	Fixed blue/red, according to the selected programme	
Face probe led colours		
Adjustable Duty Cycle	(10 - 100) %	
Output channels	2 indipendent	
Stored programs	12	
Body treatment programs	6	
Face treatment programs	6	
Trolley-mounted container, external dimensions	cm 51x34x92H	
Weight	Kg. 32	

TECHNICAL SPECIFICATIONS	DEEPWAVE		DEEPWAVE PLUS	
Main power supply	230 Vac, 50-60 Hz, ±10% (115 Vac, 50-60 Hz, ±10% upon request)		230 Vac, 50-60 Hz, ±10% (115 Vac, 50-60 Hz, ±10% upon request)	
Max. absorbed power	40 VA		40 VA	
Double protection fuse on power supply	230 Vac	630 mA Ret. - 5 x 20 mm	230 Vac	630 mA Ret. -5 x 20 mm
	115 Vac	1,6 mA Ret. - 5 x 20 mm	115 Vac	1,6 mA Ret. - 5 x 20 mm
Display	Graphic 320x240 pixels		Graphic 320x240 pixels	
Risk class	I		I	
Programmable treatment time	up to 30 minutes		Up to 30 minutes	
Emission frequency on the probe	38 KHz ± 15%		38 KHz ± 15%	
Adjustable Duty Cycle	(10 - 100) %		(10 - 100) %	
Peak power	≤ 2 W / cm² ± 20%		≤ 2 W / cm² ± 20%	
Output channels	1		2 independent	
Memorised protocols	20		20	
Protocols which can be memorised on user memory	50		50	
Protocols memorised on Smart Card	50		50	
Trolley-mounted container, external dimensions	cm 39x30x92H		cm 39x30x92H	
Weight	Kg. 32		Kg. 33	

TECHNICAL SPECIFICATIONS	DEPIL EASY	
Main power supply	230 Vac, 50-60 Hz, ±10% (115 Vac, 50-60 Hz, ±10% upon request)	
Max. absorbed power	60 VA	
Double protection fuse on power supply	230 Vac	1A Ret. - 5 x 20 mm
	115 Vac	2A Ret. - 5 x 20 mm
Display	Alphanumeric (2x40) 2 lines for 40 alphanumeric caracters	
Risk class	I	
Electric insulation class	I - BF	
Treatment time	From 0 to 99 minutes, at operator's choice	
Number of programs	5 (Hydrolysis – Thermolysis – Blend – Multiflash – Multiblend)	
Output channels	1	
Table-based case, external dimensions	cm 39x30x13H	
Weight	About Kg. 4	

TECHNICAL SPECIFICATIONS	BEAUTY TONE	
Main power supply	230 Vac, 50-60 Hz, ±10% (115 Vac, 50-60 Hz, ±10% upon request)	
Max. absorbed power	40 VA	
Double protection fuse on power supply	230 Vac	630 mA Ret. - 5x20 mm 1A
	115 Vac	1.6 A Ret. - 5x20 mm 2A
Display	Graphic 240 x 128 pixels	
Risk class	I	
System supply	9 Vdc , 2A	
Programmable treatment time	Till 30 minutes	
Frequency of emission	500 Hz max. ± 15%	
Output cable	8 outputs (16 electrodes)	
Output current	60 mA max.	
Lenght of pulse	500usec. max	
Outputs	1	
Stored programs	24	
Table-based case, external dimensions	cm 39x30x14H	
Weight	Kg. 4,5	

TECHNICAL SPECIFICATIONS	DEEP CLEAN	
Main power supply	230 Vac, 50-60 Hz, ±10% (115 Vac, 50-60 Hz, ±10% upon request)	
Max. absorbed power	70 W	
Double protection fuse on power supply	230 Vac	1.6 A Ret. - 5x20 mm
	115 Vac	3.15 A Ret. - 5x20 mm
Display	Graphic 240 x 128 pixels	
Risk class	I	
System supply	12 Vcc	
Specifications	Double piston pump, without lubrification	
Absorbed power	48 W	
Absorbed current	4 A	
Supplied power (compressor's boost)	(10 – 100)%	
Vacuum grade	-85 kPa max.	
Insulation classification	I B	
Power absorbed from the electro-valves	5 W	
Programmable treatment time	Till 99 minutes	
Output channels	1	
Trolley-mounted container, external dimensions	cm 41x36x92H	
Weight	Kg. 32	

TECHNICAL SPECIFICATIONS	PRESSOMASS	
Main power supply	230 Vac, 50-60 Hz, ±10% (115 Vac, 50-60 Hz, ±10% upon request)	
Max. absorbed power	220 VA	
Double protection fuse on power supply	230 Vac	1.6 A Ret. - 5x20 mm
	115 Vac	3.15 A Ret. - 5x20 mm
Display	Graphic 240 x 128 pixels	
Programmable treatment duration	Up to 99 minutes	
Number pneumatic sectors (outputs) Pressomass	9	
Pressure regulation and independent duration for each sector Max. pressure	150 mm Hg	
Memorised protocols	40	
Programs stored in the user memory	50	
Programs stored in the Smart Card	50	
Trolley-mounted container, external dimensions	cm 39x30x92H	
Weight	Kg. 30	

TECHNICAL SPECIFICATIONS	BODYSON 4		BODYSON 8	
Main power supply	230 Vac, 50-60 Hz, ±10% (115 Vac, 50-60 Hz, ±10% upon request)		230 Vac, 50-60 Hz, ±10% (115 Vac, 50-60 Hz, ±10% upon request)	
Max. absorbed power	70 VA		70 VA	
Double protection fuse on power supply	230 Vac	1.6 A Ret. - 5x20 mm	230 Vac	1.6 A Ret. - 5x20 mm
	115 Vac	3.15 A Ret. - 5x20 mm	115 Vac	3.15 A Ret. - 5x20 mm
Display	Graphic 240 x 128 pixels		Graphic 240 x 128 pixels	
Risk class	I		I	
Programmable treatment time	Till 30 minutes		Till 30 minutes	
Emission frequency	3 MHz ± 15%		3 MHz ± 15%	
Adjustable Duty Cycle	(10 - 100) %		(10 - 100) %	
Continuous peak power	2 W / cm^2 ± 20%		2 W / cm^2 ± 20%	
Pulsed peak power	3 W / cm^2 ± 20%		3 W / cm^2 ± 20%	
Output channels	2 independent		4 independent	
Stored protocols	21		21	
Programs stored in the user memory	50		50	
Programs stored in the Smart Card	50		50	
Table-based container, external dimensions	cm 39x30x14H		cm 57x34x92H	
Weight	Kg. 4,5		Kg. 32	

TECHNICAL SPECIFICATIONS	SOFTLIGHT
Main power supply	230 Vac, 50-60 Hz, ±10% (115 Vac, 50-60 Hz, ±10% upon request)
Max. absorbed power	15 W
Double delay mains fuse	315 mA Ret. 5x20 mm
Display	Graphic 240 x 128 pixels
Interlock socket/Safety key (normally closed contacts)	3 pin DIN socket
Programmable treatment time	Up to 99 minutes
Laser diode emission wavelength	905 nm
Classification	III B
Programmable pulse frequency	200 - 10.000 Hz
Pulse duration	100 nsec
Pulsed mode	10 - 100%
Peak power for each single diode	100 W
Stored protocols	15
Storable protocols	100
Trolley-mounted container, external dimensions	cm 39x30x92H
Weight	Kg. 32

TECHNICAL SPECIFICATIONS	AGELESS
Main power supply	230 Vac, 50-60 Hz, ±10% (115 Vac, 50-60 Hz, ±10% upon request)
Max. absorbed power	480 VA
Display	Alphanumerical type 2 lines, 6 characters each
Flow speed	(1 – 5) litres / min
Concentration	93% ± 3%
Output pressure	(0.05 : 0.08) MPa
Acoustic level	48 dB
Electrical insulation class	I
Output channels	1
External filter life (before cleaning is needed)	100 hours
Internal filter life (before cleaning is needed)	3000 hours
Generator life	20000 hours
Output channels	1
Trolley-mounted container, external dimensions	cm 39x34x62H
Weight	Kg. 32

■ EME s.r.l. should modify or change the information contained in this catalogue without obligation of notice.

■ All rights reserved. The pictures contained in this catalogue do not describe the use of the devices. For a correct use of the devices, please, refer only to the user's manual.

30 YEARS

Electronic Medical Equipment
EME
Health & Beauty Technology

ESTETIC ITALIA
a Division of EME srl
Via degli Abeti 88/1 - 61122 Pesaro (PU) - Italy
tel. +39 0721.400791 - fax +39 0721.26385
www.eme-srl.com / info@eme-srl.com

Distributed by

EST.IT. V7 ENG V8 - 05/2013 - 1000
EME COMMUNICATION